

Wilkhahn

Intra. 295 range.





Intra

Lots of people are fed up with the archetypal symbols of good taste that make so many boardrooms and conference spaces look identical.

New functional features are also required for those higher up in hierarchies to keep body and mind on the ball in agile working environments and meetings. Which is why the new Intra conference chair comes with a precision-adjustable height and a motion-stimulating synchronous adjustment mechanism with automatic weight adjustment.

The synchro-adjustment mechanism and controls fuse almost invisibly with the similar form of the seat shell and the elegantly integrated armrests. Intra's fluid lines, the precise way the high-quality materials are combined and its dynamic comfort make it the new frontrunner for today's executives – whether it's in a conference room or an office.



Intra. 295 range. Technical details.

Wilkhahn



Design: Phoenix Design

Function

Conference, lounge and executive chair range in a contemporary design with integrated synchronous adjustment mechanism that automatically adapts to the weights of people sitting on it.

Frame

Five-star base in die-cast aluminium, bright chrome-plated, matt-polished and coated in black or white with a textured matt finish. Round plastic multipurpose glides, colour-matched with the frame, for all types of flooring: bright chrome-plated when the frame is bright chrome-plated, matt-polished or coated in white with a textured matt finish, in black when the frame is coated in black with a textured matt finish. For wooden floorings (e.g. par-

quet) please order with extra felt insert. Version on glides optionally available with swivel-return mechanism and without height adjustment (seating height 45 cm).

Optionally with castors. Twin wheel swivel castors with load-dependent braking, made of black polyamide compliant with DIN EN 12529 as the standard version for carpets; with grey soft polyurethane facing for hard floors. The gas lift is covered with a protective tube colour matched with the frame, bright chrome-plated, matt-polished or textured matt finish coated black or white. Precision adjustable seating height via a gas lift.

Seat

Seat shell made of glass-fibre-reinforced polypropylene covered with fabric or leather, with polypropylene seat upholstery panel, seat cushioning made of polyurethane with padding in the same material as the cover with side facings. The cushioning and covers are replaceable. The synchronous adjustment mechanism with automatic weight adjustment is located between the seat shell and upholstery element.

Back

Backrest shell made of plywood, fully padded with polyurethane (CFC-free) with additional padding. Curved flat steel backrest bearer to connect with the synchronous adjustment mechanism

Armrests

Die-cast aluminium armrests, bright chrome-plated, matt-polished or coated in black or white with a textured matt finish depending on the type of frame, optionally with integrated, leather-covered armrest pad. The armrest pads come in black 74/99 leather for fabric-covered models and are the same colour as the leather in leather-covered models. The controls for adjusting the height and locking it in place are integrated in the armrests.

Standards

Tests being conducted for the GS mark

Intra. 295 range. Product types.

Wilkhahn



Standard height backrest
295/6




Medium-height backrest
295/7

Intra. 295 range. Product types.

Wilkhahn

Upholstery material



60 | 62 | 63 | 66 | 68 | 69 | 91 | 74 | 87 | You can find all upholstery materials and more colours in our media center

Frame surfaces




Bright chrome-plated aluminium or matt polished, coated in black or signal white




Intra. 295 range. Models and dimensions.

Wilkhahn

295/6
Standard high backrest



295/7
Medium-height backrest



Intra. 295 range. Awards/standards/certificates.

Wilkhahn

Product certificates/product standards

Tests being conducted for the GS mark

Company's certificates, memberships



Mitglied der
DGNB
Deutsche Gesellschaft für Nachhaltiges Bauen
German Sustainable Building Council

